

账号黑产风险识别开发文档

1、根据手机号查询

2、错误码参照

1、根据手机号查询 [\[顶部\]](#)

接口地址：http://v.juhe.cn/blackCheck/query

返回格式：json

请求方式：get/post

请求示例：http://v.juhe.cn/blackCheck/query

接口备注：根据手机号查询是否命中黑产风险

请求Header：

名称	值
Content-Type	application/x-www-form-urlencoded

请求参数说明：

名称	类型	必填	说明
phone	string	是	手机号码
label	string	是	查询标签 所有标签 BLACKRECORDPHONE 黑产手机号 SMSPLATFORMPHONE 接码平台手机号 IOTSIMCARDPHONE 物联网卡手机号 MVNOSIMCARDPHONE 虚拟运营商手机号 RISKPHONE 跑码群手机号 RELATERISKDEVICEPHONE 手机号关联风险设备 RELATERISKTOKENPHONE 手机号关联风险账号

返回参数说明：

名称	类型	说明
error_code	string	错误码
reason	string	提示信息
result	object	返回数据
hitting	bool	是否命中
value	string	不命中时候返回空的列表：" <code>[]</code> "; 命中的时候返回一个JSON数组格式的字符串，请参考JSON返回示例 所有标签 下载
orderid	string	本次订单号

JSON返回示例：

```
// 正常手机号
{
  "reason": "成功",
  "result": {
    "orderid": "JH790240709162813tY0eI",
    "value": "[]"
  },
  "error_code": 0
}

// 有风险的手机号，查询label=RELATERISKTOKENPHONE
{
  "reason": "成功",
  "result": {
    "orderid": "JH7992407110940509TZ3a",
    "value": "[{"description": "手机号关联风险账号:手机号关联风险登录账号:机器登录手机号","label1": "relate_risktoken_phone","label2": "risk_login_token_phone","label3": "monkey_login_token_phone","timestamp": 1716997946609}, {"description": "手机号关联风险账号:手机号关联高危团伙账号:高危团伙手机号","label1": "relate_risktoken_phone","label2": "risk_group_token_phone","label3": "risk_group_token_phone","timestamp": 1718641619137}, {"description": "手机号关联风险账号:手机号关联其他可疑账号:异常高频手机号","label1": "relate_risktoken_phone","label2": "other_risk_token_phone","label3": "high_frequency_token_phone","timestamp": 1718641619137}, {"description": "手机号关联风险账号:手机号关联其他可疑账号:异常关联手机号","label1": "relate_risktoken_phone","label2": "other_risk_token_phone","label3": "abnormal_relation_token_phone","timestamp": 1717160466315}]"
  },
  "error_code": 0
}
```

2、错误码参照

服务级错误码参照(error_code)：[\[顶部\]](#)

错误码	说明
279901	参数错误
279902	查无记录

错误码	说明
279903	网络错误
279904	查询失败

系统级错误码参照：

错误码	说明	旧版本(resultcode)
10001	错误的请求KEY	101
10002	该KEY无请求权限	102
10003	KEY过期	103
10004	错误的OPENID	104
10005	应用未审核超时，请提交认证	105
10007	未知的请求源	107
10008	被禁止的IP	108
10009	被禁止的KEY	109
10011	当前IP请求超过限制	111
10012	请求超过次数限制	112
10013	测试KEY超过请求限制	113
10014	系统内部异常(调用充值类业务时，请务必联系客服或通过订单查询接口检测订单，避免造成损失)	114
10020	接口维护	120
10021	接口停用	121

错误码格式说明（示例：200201）：

2	002	01
服务级错误（1为系统级错误）	服务模块代码(即数据ID)	具体错误代码

版本日期：2024-08-07 05:23